환자 성명:	ID:	병동:
성별:	연령:	처방의:
□ S-위 ESD □ S-식도 ESD		
Operating endoscopist:		
Sedation: yes no,	Degree: 🗌 drowsy 🗌 ligh	□ moderate □ deep
Antispasmodics: yes no		
Past (medical) Hx :		
Anti-thrombotics : yes (d	rug: stop: ☐ yes, days ag	o □ no) □ no □ not confirmed
Procedure type: ☐ ESD		
Description of the lesion		
1) Histological diagnosis by forceps biopsy: Adenoma Differentiated EGC Undifferentiated EGC		
2) Location:		
3) Size: x cm	(Size of resected specir	nen: x cm)
4) Shape:		
5) Ulcer: No Yes		
6) Other finding:		
Procedure		
1) Marking & cutting: Needle knife		
│ │ Dual knife (│ dissection도 dual knife 사용 │ knife 2개 이상 사용 기준 해당)		
2) Submucosal injection fluid: Normal saline+epinephrine+indigocarmine		
☐ Normal saline+epinephrine+indigocarmine+glycerol		
3) Submucosal dissection (main dissection knife): IT2 Dual Flex Needle Hook		
Knife 2개 사용 이유: □ Fibrosis □ Location □ Adenoma size ≥ 4 cm		
4) Fibrosis: No Yes		
5) Specimen retrieval: Net Tripod forceps		
6) Comments (describe procedure in detail)		
Outcome: En bloc Piecemeal		
Hemostasis		
1) Bleeding during procedure: Minimal Moderate Significant		
2) Bleeding after submucosal dissection: Minimal Moderate Significant		
3) Hemostasis method: Coagrasper Clipping APC		
Immediate complication 1) Uncontrolled bleeding: No Yes		
	2) Frank perforation:] Yes
	3) Other event (specify): \square No \square	Yes
결론 및 진단		
PACS (+)	BIOPSY(+)	서명:
		7.1 (2)